

WHAT IS CLAIMED IS:

1. A catalyst composition for the isomerization of n-paraffin which comprises a β -zeolite having been synthesized according to a dry gel process and contains cerium, the β -zeolite being characterized in that it has an average particle
5 diameter of 0.01~0.1 μm and the proportion of the cerium in the β -zeolite is within the range of 0.001~0.2 in terms of the atomic ratio of the silicon atom in the β -zeolite to the cerium atom, i.e. $[\text{Ce}] / [\text{Si}]$.

2. A process for isomerizing n-paraffin which comprises bringing n-paraffin into contact with the catalyst composition as set forth in claim 1.

10

15

20

25